Timber 3-gate "Foldaway" climbing frame

Z6695XXXXX



Details

Manufactured from top quality pine, sealed, polished and with steel fittings, the Foldaway provides the opportunity required by the National Curriculum for a variety of activities - hanging, balancing, turning upside-down etc.

Technical Information

The 3 gate frame, which can be fixed in a "Y" or "T" position, comes complete with 2 stabilising ladders that must be used to hold the gates stable when in use. The frames fold flat against the wall requiring only 2.3m of wall space, and no special door access is required. No overhead tensioning cables are needed to secure the frame in a safe for use position.

We also include a storage rail fixed behind the folded frames to enable the stabilising ladders to be stored safely and neatly.

Over 20 gate designs are available - on receipt of your order we will contact you to discuss and confirm your preferred designs - the design of the gates does not affect the price. The frames are available in two heights:

- 2.4m (8') high
- 2.7m (9') high

The frame has a single wall pivot which can be arranged to span windows and radiators if necessary. Strong shoot bolts secure the frame and no overhead cable is necessary. As the fixings require our installation engineers to drill into the floor, provision must be made in advance if underfloor heating is installed.

We recommend the optional wall fixed ladder is installed to open up a huge range of linking and bridging activities using a variety of Continental's 2.4m (8') linking apparatus such as ladders, padded planks and poles.

To install this frame we must drill into your floor and therefore provision must be made if you are installing underfloor heating - please contact us for discussions.

This item must be installed by Continental's engineers so there is an additional "Area Charge" applied at the checkout which depends on how far away your site is from our factory. You will be shown the amount of this

charge before you commit to your purchase.

SKU	Options	Available Colours
Z6695A0SWX	2.4m (8')	N/A
Z6695B0SWX	2.7m (9')	N/A