NEW DESIGN Fast Track

01339X01AA



Details

Continental's new design of fast track is a robust, durable and hi-performance fast track tumbling piste for gymnastics training. The track is freestanding, but can also be recessed into a pit.

The track is supplied complete with:

- A bed manufactured in-house by Continental from genuine Permatron fabric with heavy duty nylon webbing edges and fully welded tri-rings for durability and strength.
- Springs manufactured uniquely to Continental's performance criteria to provide the ultimate in rebound performance
- A heavy duty steel frame powder coated in black as standard, but also available in any colour to suit your facility. For details of available powder coating colours please see here: Powder Coating Colours
- Removable coverall pads, fixed to the frame with VELCRO® fasteners. The coverall pads are upholstered in PVC - red is standard, but we would be pleased to provide the pads in your choice of 28 colours at no additional charge. Make your fast track your own with a bespoke colourway to suit your gym. PVC Colour Choices

Additional extras are available from Continental to suit the track that are made specially for your facility. Please call us for details regarding:

- Padded panels to one or both sides and ends of the track
- Wall padding if the track is located close to a wall
- Dismount foam pits, resi-pits or air bags
- Raised podiums into which the track can be recessed

The fast track is available in the following standard lengths:

Version	Overall length (m)	Bed length (m)
D	5.25	4.50
E	6.80	6.05
F	8.35	7.60
G	9.86	9.11
H	11.40	10.65
I	12.95	12.20
J	14.50	13.75
K	16.05	15.30
L	17.56	16.81
M	19.10	18.35
N	20.56	19.81

SKU	Options	Available Colours
01339D01AA - 5.25m	"D" - 5.25m	N/A
01339E01AA - 6.80m	"E" - 6.80m	N/A
01339F01AA - 8.35m	"F" - 8.35m	N/A
01339G01AA - 9.86m	"G" - 9.86m	N/A
01339H01AA - 11.40m	"H" - 11.40m	N/A
01339I01AA - 12.95m	"I" - 12.95m	N/A
01339J01AA - 14.50m	"J" - 14.50m	N/A
01339K01AA - 16.05m	"K" - 16.05m	N/A
01339L01AA - 17.56m	"L" - 17.56m	N/A
01339M01AA - 19.1m	"M" - 19.1m	N/A
01339N01AA - 20.56m	"N" - 20.56m	N/A