


Mild steel lockers

280300XXXX



Details

These mild steel lockers are available in a range of powder coated colour options - with contrasting or matching doors and lock surrounds. On receipt of your order we will contact you to confirm colour selections.

The range of standard colours for carcass and door colour is available from our <u>Technical Information section</u>

The lockers are 1,800mm high and are available in the following options:

- 1-tier (one door per upright) including a hat shelf and two coat hooks
- 2-tier (two equal size doors per upright) including two coat hooks per compartment
- 3-tier (three equal size doors per upright)
- 4-tier (four equal size doors per upright)
- 5-tier (five equal size doors per upright)
- 6-tier (six equal size doors per upright)

The lockers are available in two widths:

- 300mm
- 375mm

And three depths:

- 300mm
- 375mm
- 450mm

The lockers are supplied as standard with simple CAM locks and are available with hasp locks or coin return locks at extra cost. Please add the quantity of locks you need to upgrade if you require anything other than the standard CAM lock.

The price includes delivery to your premises and installation by our technicians. This service includes taking the lockers into the correct room, setting them in place and fixing back to a suitable wall (if required).

Continental Sports Limited. Hill Top Road, Paddock, Huddersfield, West Yorkshire HD1 4SD. Registered in England & Wales No: 00830200. VAT No: 516 3500 76



SKU	Options	Available Colours
2803003001	300mm	N/A
2803004505	300mm	N/A
2803003006	300mm	N/A
2803003755	300mm	N/A
2803004504	300mm	N/A
2803003005	300mm	N/A
2803003754	300mm	N/A
2803004503	300mm	N/A
2803003004	300mm	N/A
2803003753	300mm	N/A
2803004502	300mm	N/A
2803003003	300mm	N/A
2803003752	300mm	N/A
2803004501	300mm	N/A
2803003002	300mm	N/A



2803004506	300mm	N/A
2803003751	300mm	N/A
2803003756	300mm	N/A
2803753754	375mm	N/A
2803754503	375mm	N/A
2803753753	375mm	N/A
2803754502	375mm	N/A
2803373752	375mm	N/A
2803754501	375mm	N/A
2803754506	375mm	N/A
2803753751	375mm	N/A
2803753756	375mm	N/A
2803754505	375mm	N/A
2803753755	375mm	N/A
2803754504	375mm	N/A

