

Aluminium rugby posts

24HURUG21X



Details

Hinged Aluminium Rugby Posts - These posts are lightweight and easier to handle, with uprights supplied in sections for ease of transportation and storage. Galvanised hinged adaptors make erection of the posts safer.

- Manufactured from aluminium tube and polyester coated white
- · Hinged adaptors with high tensile bolts make erection of posts safer
- Stainless steel bolts throughout
- Crossbar 5.6m long, 50mm diameter x 3mm thick
- 1006mm deep sockets with 79mm inside diameter. PLEASE NOTE: Sockets require setting into substantial concrete foundations
- Sockets complete with stabilising fins and base plates
- Complete with hinged adaptors

Available in 3 sizes:

13m Hinged Aluminium Rugby Posts

- 13m out of ground height
- Two piece uprights
- Bottom uprights 7m long, 76mm diameter x 5mm thick
- Top uprights 7m long, 63.5mm diameter x 3mm thick
- Crossbar 5.6m long, 50mm diameter x 3mm thick

12m Socketed Aluminium Rugby Posts

- 12m out of ground height
- Two piece uprights
- Bottom uprights 7m long, 76mm diameter x 5mm thick
- Top uprights 6m long, 63.5mm diameter x 3mm thick
- Crossbar 5.6m long, 50mm diameter x 3mm thick



11m Hinged Aluminium Rugby Posts

- 11m out of ground height
- Two piece uprights
- Bottom uprights 7m long, 76mm diameter x 5mm thick
- Top uprights 5m long, 63.5mm diameter x 3mm thick
- Crossbar 5.6m long, 50mm diameter x 3mm thick

10m Socketed Aluminium Rugby Posts

- 10m out of ground height
- Two piece uprights
- Bottom uprights 7m long, 76mm diameter x 5mm thick
- Top uprights 4m long, 63.5mm diameter x 3mm thick
- Crossbar 5.6m long, 50mm diameter x 3mm thick

Telephone: 01484 542051 | Fax: 01484 539148 | Email: sales@contisports.co.uk



| SKU | Options | Available Colours |
|------------|---------|-------------------|
| 24HURUG200 | 10m | N/A |
| 24HURUG211 | 11m | N/A |
| 24HURUG201 | 12m | N/A |
| 24HURUG210 | 13m | N/A |