


SRX / TCS (FIXED HEIGHT) VOLLEYBALL POSTS



SAFETY REGULATIONS

In order to reduce the risk of injury and to assure secure functioning of the apparatus, rules mentioned below are to be strictly followed:

1. Use this apparatus only under the supervision of a trained and qualified instructor.
2. Check this apparatus for proper stability before each training, use it only in perfect technical conditions.
3. Always check the apparatus for its correct installation, particularly for the fixation mechanism, before each use. If there are any doubts, do not use the apparatus and get a professional check.
4. Please consider your own limits and the restrictions of this apparatus.
5. Obstructive items or persons in close proximity of the apparatus are not allowed.
6. Provide appropriate safety zones in the surroundings of the apparatus.
7. Never use the apparatus under the influence of alcohol, medication or drugs.

8. Pregnant women or persons with health issues should not use the apparatus.
9. Do not attempt to repair any damage to the apparatus yourself but contact your supplier for advice or technical assistance.
10. Any unauthorised repair, alternation, removal of parts or change of specifications of the apparatus are strictly prohibited for reasons of safety and will automatically and immediately and without any prior notice end any warranty or right of compensation in any form whatsoever.

GENERAL ADVICE

The life period of apparatus is limited. Also materials wear after a certain period of time. Please check all parts, which are subject to severe wear and tear, at least once every 3 months. This is mainly relevant for the security of adjustable parts and mechanisms, e.g. rails, bars, rings. Replace any worn off, defective and missing parts. If there are any doubts, ask for advice from one of our specialists.

For security reasons, we suggest to perform a maintenance check of all apparatuses and mats by a specialist, once a year. This check can be part of a yearly or six month safety check.

This apparatus is designed to be used in dry conditions only.

ASSEMBLY AND USE

The setup and storing of this device may only be undertaken by competent adults who have read and understood the safety regulations of this manual.

1. Place both the volleyball post with TCS tensioning system (1) and the post with the net attachment (2) in the floor sockets (3). Make sure the attachment points point inwards
2. Attach one end of the net (4) to the volleyball post with the net attachment. Make sure there are some chain links (5) between the attachment to the post and to the net itself
3. Attach the other end of the net to the cable of the TCS tensioning system at the opposite post
4. Move the sliding strip (6) at both volleyball posts to a height where the cable has a height of 2.45m measured from the floor and tension the net with this setup.


IMPORTANT NOTE: The measurement shown on the posts are not the height of the net measured from the floor. This is not possible due to different socket depths and floor thicknesses in different facilities. The printed measurement are a guide to help assist with setting up once you have calibrated the measurements to suit your facility.

5. To tension the net, turn the lever clockwise. The correct tension can be read under the position of the steel cable. The correct tension of the Schelde logo is indicated with the Schelde logo.


NOTE: When setting up the volleyball set for the first time, while tightening the net the cables may stretch and become too long. If this occurs, one of more links can be removed from the chain to achieve the correct tension



- Slide the short sliding strip against the long sliding strip. Attach the bottom cord to the sliding strip and then slide it down to further tension the net. Do this on both sides until the net has a height of 2.43m in the middle.



- Use the VELCRO fasteners to attach the side of the net to the posts



- Attach the sleeves of the antennae to the net
- When everything is set up and measured correctly, the small orange stickers that are included can be placed on the sliding strips. In the case of the setup described above (2.43m) place the sticker next to the volleyball + "male" symbol. With the same combination of posts and sockets this can now be used for the height adjustment of future setups.

NOTE: The height indication on the post is not the height measured from the floor. This height indication on the post together with the orange stickers on the sliding strip is an assist for the adjustment of future setups and may only work if the same combination of floor sockets and posts is used)

NOTE: To disassemble the volleyball set, the above steps should be followed in reverse order. Make sure that the tensioning mechanism is turned back completely before removing the net.